Discrete Applied Mathematics 16 (1987) 287-288
North-Holland

AUTHOR INDEX

Volume 16 (1987)

Bandelt, H.J., A. Dählmann and H. Schütte, Absolute retracts of bipartite graphs (3) 191–215
Barahona, F. and W.R. Pulleyblank, Exact arborescences, matchings and cycles (2) 91– 99
Bertossi, A.A. and M.A. Bonuccelli, Some parallel algorithms on interval graphs (2) 101–111
Bonuccelli, M.A., see A.A. Bertossi (2) 101–111
Bovet, D.P. and A. Panconesi, Inclusion relationships among permutation problems (2) 113–123
Dählmann, A., see H.J. Bandelt (3) 191–215
Chetwynd, A.G. and A.J.W. Hilton, The edge-chromatic class of regular graphs of degree 4 and their complements (2) 125–134
Clark, D.S., Short proof of a discrete Gronwall inequality (Note) (3) 279–281
Conforti, M. and G. Cornuéjols, Erratum to DAM 7 (1984) 251–274 (2) 187
Cornuéjols, G., see M. Conforti (2) 187
Crama, Y., Dualization of regular Boolean functions (Communication) (1) 79– 85
Crystal Llewellyn, D., Min algebraic duality (Communication) (1) 87– 90
Demange, G., D. Gale and M. Sotomayor, A further note on the stable matching problem (3) 217–222
Dyer, M.E. and J. Walker, An algorithm for a separable integer programming problem with cumulatively bounded variables (2) 135–149
Fishburn, P.C., Decomposing weighted digraphs into sums of chains (3) 223–238
Gale, D., see G. Demange (3) 217–222
Golitschek, M.v., The cost-to-time ratio problem for large or infinite graphs (1) 1– 9
Hammer, J. and D.G. Sarvate, Encryption using Hungarian rings (2) 151–155
Harary, F. and U. Peled, Hamiltonian threshold graphs (1) 11– 15
Hilton, A.J.W., see A.G. Chetwynd (2) 125–134
Kalantari, B. and J.B. Rosen, Penalty formulation for zero–one nonlinear programming (Note) (2) 179–182
Kong, T.Y., D.M. Mount and M. Werman, The decomposition of a square into rectangles of minimal perimeter (3) 239–243
Lange, K.-J. and E. Welzl, String grammars with disconnecting or a basic root of the difficulty in graph grammar parsing (1) 17– 30
Maas, C., Transportation in graphs and the admittance spectrum (1) 31– 49
Mount, D.M., see T.Y. Kong (3) 239–243
Panconesi, A., see D.P. Bovet (2) 113–123
Peled, U., see F. Harary (1) 11– 15
Pulleyblank, W.R., Fractional matchings and the Edmonds–Gallai theorem (1) 51– 58
Pulleyblank, W.R., see F. Barahona (3) 91– 99
Rosen, J.B., see B. Kalantari (2) 179–182
Rozenberg, G. and E. Welzl, Combinatorial properties of boundary NLC graph languages (1) 59– 73
Sarvate, D.G., see J. Hammer (2) 151–155
Schütte, H., see H.J. Bandelt (3) 191–215
Sotomayor, M., see G. Demange (3) 217–222
Tamir, A., Totally balanced and totally unimodular matrices defined by center location problems (3) 245–263
Tarnanen, H, Upper bounds for constant weight and Lee codes slightly outside the Plotkin range (3) 265–277

0166-218X/87/$3.50 © 1987, Elsevier Science Publishers B.V. (North-Holland)

Tietäväinen, A., On the covering radius of long binary BCH codes (Note) (1) 75–77
Trotter, Jr., L.E. and D.B. West, Two easy duality theorems for product partial orders (Note) (3) 283–286
Tuza, Zs. On two intersecting set systems and k-continuous boolean functions (Note) (2) 183–185
Walker, J., see M.E. Dyer (2) 135–149
Welzl, E., see K.-J. Lange (1) 17–30
Welzl, E., see G. Rozenberg (1) 59–73
Werman, M., see T.Y. Kong (3) 239–243
West, D.B., see L.E. Trotter, Jr. (3) 283–286
Xie, S., Notes on de Bruijn sequences (2) 157–177